

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		318/254.ccls. and ((power voltage current rpm) near12 (production output requirement) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:36
		S1 and (parameter threshold limit\$3) same (on off angle)	USPAT	OR	ON	2005/07/28 06:54
		S1 and (parameter threshold limit\$3) near14 (on off angle)	USPAT	OR	ON	2005/07/28 06:54
S1	7	((("6,177,734") or ("6,365,983") or ("6,051,942") or ("6,014,003") or ("6,011,377") or ("5,936,386") or ("5,594,322"))).PN.	USPAT	OR	OFF	2005/07/28 15:30
S2	4	S1 and (parameter threshold limit\$3) near14 (on off angle)	USPAT	OR	ON	2005/07/28 07:02
S3	7	((("6,177,734") or ("6,365,983") or ("6,051,942") or ("6,014,003") or ("6,011,377") or ("5,936,386") or ("5,594,322"))).PN.	USPAT	OR	OFF	2005/07/28 07:02
S4	4	S3 and (parameter threshold limit\$3) near14 (on off angle)	USPAT	OR	ON	2005/07/28 12:52
S5	0	318/701.ccls. and ((power voltage current rpm) near12 requirement) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:32
S6	0	318/254.ccls. and ((power voltage current rpm) near12 requirement) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:36
S7	0	322/20-24.ccls. and ((power voltage current rpm) near12 requirement) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:33
S8	0	322/90.ccls. and ((power voltage current rpm) near12 requirement) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:33

S9	0	"318"/\$.ccls. and ((power voltage current rpm) near12 requirement) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:33
S10	0	((power voltage current rpm) near12 requirement) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:34
S11	1	((power voltage current rpm) near12 requirement) same (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:34
S12	0	318/254.ccls. and ((power voltage current rpm) near12 (production output requirement)) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:37
S13	0	"318"/\$.ccls. and ((power voltage current rpm) near12 (production output requirement)) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:37
S14	9	((power voltage current rpm) near12 (production output requirement)) near12 (determin\$4 near12 ((on off) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:07
S15	0	((power voltage current rpm) near12 (production output requirement)) near12 (determin\$4 near12 ((on) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:44
S16	0	318/254.ccls. and ((power voltage current rpm)) near12 (determin\$4 near12 ((on) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:45

S17	0	"318"/\$.ccls. and ((power voltage current rpm)) near12 (determin\$4 near12 ((on) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:45
S18	1	((power voltage current rpm)) near12 (determin\$4 near12 ((on) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:56
S19	1	((power electrical electricity voltage current rpm)) near12 (determin\$4 near12 ((on) near5 angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 07:56
S20	0	"322"/\$.ccls. and (turn\$4 near4 on near5 angle) and (turn\$4 near4 off near4 angle) and (alternator generator) and (voltage power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:09
S21	0	"318"/\$.ccls. and (turn\$4 near4 on near5 angle) and (turn\$4 near4 off near4 angle) and (alternator generator) and (voltage power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:09
S22	0	(turn\$4 near4 on near5 angle) and (turn\$4 near4 off near4 angle) and (alternator generator) and (voltage power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:09
S23	0	(turn\$4 near10 on near10 angle) and (turn\$4 near10 off near10 angle) and (alternator generator) and (voltage power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:10
S24	0	"318"/\$.ccls. and (turn\$4 near10 on near10 angle) and (turn\$4 near10 off near10 angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 08:10

S25	232	"318"/\$.ccls. and (turn\$4 near10 (off on) near10 angle) and (alternator generator voltage power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:46
S26	22	"322"/\$.ccls. and (turn\$4 near10 (off on) near10 angle) and (alternator generator voltage power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:50
S27	11	("4933620" "5168202" "5838133" "5841262" "5864218" "5977740" "6011377" "6040678" "6046561" "6359414" "6788021").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 14:01
S28	724	"318"/701.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:47
S29	4850	"318"/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:47
S30	714	322/19.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:47
S31	383	322/20.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:49
S32	776	322/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:49

S33	68	S29 and (turn\$4 near10 (off on) near10 angle) and (alternator generator voltage power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:50
S34	11	(david near3 torrey).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:50
S35	6	(yilmaz near3 sozer).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:51
S36	5	S34 and (on off angle)	USPAT	OR	ON	2005/07/28 12:52
S37	3	S35 and (on off angle)	USPAT	OR	ON	2005/07/28 15:25
S38	1	("5936386").PN.	USPAT	OR	OFF	2005/07/28 14:04
S39	5	((("5936386") or ("6593720") or ("20020185989") or ("20030011347") or ("6396237"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:04
S40	4	((("20040245948") or ("20040108826") or ("20030020436") or ("5841262"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:43
S41	0	("15andcontrol\$4near12ratenear12(power)").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:05
S42	0	S39 and control\$4 near12 rate near12 (power)	USPAT	OR	ON	2005/07/28 15:08
S43	0	S40 and control\$4 near12 rate near12 (power)	USPAT	OR	ON	2005/07/28 15:05
S44	0	S39 and set\$4 near4 point	USPAT	OR	ON	2005/07/28 15:09
S45	1	S40 and set\$4 near4 point	USPAT	OR	ON	2005/07/28 15:09

S46	98	((("5977740") or ("6040678") or ("5841262") or ("5497749") or ("4358716") or ("5760565") or ("5838133") or ("5923141") or ("6008615") or ("6160696") or ("4584636") or ("4990909") or ("5003368") or ("5610501") or ("5789893") or ("6078382") or ("4260948") or ("4262579") or ("4371365") or ("4420713") or ("4534577") or ("4602206") or ("4792805") or ("5193587") or ("5337846") or ("5390479") or ("5426571") or ("5434528") or ("5667032") or ("5794109") or ("6020689") or ("6236179") or ("6273673") or ("6288513") or ("6291949") or ("6351094") or ("6396237") or ("6864658") or ("5689164") or ("5872441") or ("5870292") or ("4896088") or ("4279009") or ("4301882") or ("4307442") or ("4614926") or ("5017057") or ("6117037") or ("6141196") or ("6177648").pn.")) or ("3564333") or ("3841006") or ("4091981") or ("4245293") or ("4258818") or ("4270074") or ("4291588") or ("4299127") or ("4299291") or ("4318466") or ("4320678") or ("4326728") or ("4333048") or ("4387592") or ("4403631") or ("4417860") or ("4424475") or ("4424535") or ("4482853") or ("4483378") or ("4493140") or ("4498398") or ("4507043") or ("4531884") or ("4553954") or ("4558791") or ("4585919") or ("4586578") or ("4593218") or ("4592430") or ("H000077") or ("4621823") or ("4633136") or ("4800330") or ("4809205") or ("4811544") or ("4832569") or ("4840089") or ("4846010") or ("4869676") or ("4877374") or ("4879499") or ("4887013") or ("4919002") or ("4930592") or ("4968927") or ("4979575") or ("4990125") or ("4992944") or ("4993250").pn.")). PN.	USPAT	OR	OFF	2005/07/28 15:24
S47	98	S46 and (on off angle)	USPAT	OR	ON	2005/07/28 15:26
S48	18	S46 and (on off) near3 angle	USPAT	OR	ON	2005/07/28 15:26

S49	7	((("6,177,734") or ("6,365,983") or ("6,051,942") or ("6,014,003") or ("6,011,377") or ("5,936,386") or ("5,594,322"))).PN.	USPAT	OR	OFF	2005/07/28 15:32
S50	4	S49 and (on off) near4 angle	USPAT	OR	ON	2005/07/28 15:30
S51	3	((("20030011347") or ("20030020436") or ("5936386"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:47
S52	0	S51 and speed near7 (limit\$4 threshold) near10 (voltage power current)	USPAT	OR	ON	2005/07/28 15:46
S53	0	S51 and speed near7 (limit\$4 threshold)	USPAT	OR	ON	2005/07/28 15:48
S54	1	S51 and speed	USPAT	OR	ON	2005/07/28 15:48
S55	1	S51 and (limit\$4 threshold)	USPAT	OR	ON	2005/07/28 15:47
S56	4	((("5841262") or ("20030011347") or ("20030020436") or ("5936386"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:47
S57	2	S56 and speed	USPAT	OR	ON	2005/07/28 15:48
S58	1	S56 and speed near7 (limit\$4 threshold)	USPAT	OR	ON	2005/07/28 15:49
S59	1	S56 and (rpm rotational speed) near7 (limit\$4 threshold)	USPAT	OR	ON	2005/07/28 15:50
S60	1	S56 and rpm	USPAT	OR	ON	2005/08/01 07:10
S61	3	((("5936386") or ("20030011347") or ("20030020436"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/01 07:11